

JUST ONE USE

by Surgitrac Europe

OPHTHALMOLOGY . OPHTALMOLOGIE . OPHTHALMOLOGIE



Surgitrac®
Instruments

We are an established manufacturer and distributor of single-use ophtalmic surgical instruments, and procedure packs.

We sell our products using a global network, of authorised distributors.

We offer :

- Quality assured, CE marked products, manufactured to internationally recognised standards.
- ISO 13485:2016 certified manufacturing.
- Transparency in our supply chain : no forced, or child labour is used during our manufacturing.
- A continuous supply of products, due to our capacity to manufacture millions of instruments each year.
- Private label manufacturing.
- Over 10 years' experience in the manufacture of surgical instruments.
- Customer support.

www.surgitrac.com

Medical devices intended for healthcare professionals only.
For proper use of these devices, please refer to the instructions for use.

Surgitrac®
Europe

Nous sommes distributeur d'instruments chirurgicaux ophtalmiques à usage unique, et de packs de procédures.

Nous vendons nos produits en utilisant un réseau mondial de distributeurs agréés.

Nous offrons :

- Un partenariat privilégié et exclusif avec le fabricant Surgitrac Instruments,
- Qualité garantie, produits marqués CE, fabriqués selon des normes internationalement reconnues,
- Notre expérience dans la distribution d'instruments chirurgicaux,
- Un support client à votre écoute.

www.just-one-use.com

Dispositifs médicaux à destination des professionnels de santé. Pour un bon usage de ces dispotifs, merci de vous reporter aux notices d'utilisation.

Surgitrac®
Europe

Wir sind ein etablierter Vertrieb für ophthalmologische, chirugische Instrumente und Packs.

Wir vertreiben unsere Produkte über unser globales Netzwerk ausgesuchter Distributoren.

Wir bieten :

- Eine privilegierte und exklusive Partnerschaft mit Surgitrac Instruments Hersteller,
- Sichere Qualität, CE zertifiziert, hergestellt nach internationalen anerkannten Standards,
- Unsere Erfahrung im Vertrieb von chirurgischen Instrumenten,
- Kundenbetreuung ansässig.

www.just-one-use.com

Medizinprodukte für medizinisches Fachpersonal. Für die ordnungsgemäße Verwendung dieser Geräte lesen Sie bitte die Gebrauchsanweisung.

JUST ONE USE

PHACO, REFRACTIVE & CORNEA

SUMMARY | SOMMAIRE INHALTSVERZEICHNIS

1/ CAPSULORHEXIS
CAPSULORHEXIS
KAPSULORHEXIS
PAGES 06-07

2/ FORCEPS
PINCES
PINZETTEN
PAGES 08-16

3/ MANIPULATORS & CHOPPERS
MANIPULATEURS & CHOPPERS
MANIPULATOREN & CHOPPER
PAGES 17-22

4/ SPECULUMS
BLEPHAROSTATS
LIDSPERRER
PAGES 23-28

5/ SCISSORS
CISEAUX
SCHEREN
PAGES 29-33

6/ MEASURERS & MARKERS
MESUREURS & MARQUEURS
MESSINSTRUMENTE & MARKER
PAGES 34-36

7/ CURETTES & CLAMPS
CURETTES & PINCES
KÜRETTEN & KLEMMEN
PAGES 36-37

8/ NEEDLE HOLDERS
PORTE-AIGUILLES
NADELHALTER
PAGES 38-39


9/ LACRIMAL
LACRYMAL
LAKRIMAL
PAGES 40-42

10/ CORNEAL & REFRACTIVE
CORNÉE & RÉFRACTIVE
KORNEAL & REFRAKTIV
PAGES 43-49

11/ GENERAL OPHTHALMIC
OPHTALMOLOGIE GÉNÉRALE
ALLGMEINE OPHTHALMOLOGIE
PAGES 50-53

Just One Use // *The acronym « Just One Use » affirms the single use characteristic of our instruments.* Safety : reduce the risk of cross-contamination. **Economy :** eliminate the costs of repair and sterilization. **Performance :** manufactured from medical grade stainless steel, our single use instruments have the same grip, weight and balance of reusable instruments. **Convenience :** reduce theatre preparation time, presentation in sets or individually.

CAPSULORHEXIS / capsulorhexis / kapsulorhexis




SC33M

MICS CAPSULORHEXIS FORCEPS CROSS ACTION

Pince Capsulorhexis Action Croisée, Courbe
MICS Kapsulorhexispinzette Cross Action (x-Action)

Length : 115 mm
Handle length : 84 mm
50° angled
1.8 mm incision




CAPSULORHEXIS ROUND BODIED CURVED / Pince Capsulorhexis, Manche Rond, Courbe / Kapsulorhexispinzette, gebogen, runder Griff


Length : 105 mm
Handle length : 77 mm
45° angled platform with notched tips 0.3 mm
1.8 mm incision

Usage Unique Inox **SC34M**
Usage Réutilisable Inox **RUC34**
Usage Réutilisable Titane **TRU18**

SC34M



CAPSULORHEXIS



MICS CAPSULORHEXIS FORCEPS CURVED / Pince Capsulorhexis MICS, Courbe / MICS Kapsulorhexispinzette, gebogen

Length : 105 mm
Handle length : 77 mm
45° angle
12 mm platform
0.3 mm tips
1.8 mm incision

SC29M




CAPSULORHEXIS




MICS CAPSULORHEXIS FORCEPS ROUND BODIED CURVED / Pince Capsulorhexis, Manche rond / Kapsulorhexispinzette, runder Griff

Length : 105 mm
Handle length : 77 mm
50° angle 0.2 mm tip
12 mm platform
1.8 mm incision

SC134M



CAPSULORHEXIS




MICS CAPSULORHEXIS FORCEPS STRAIGHT / Pince Capsulorhexis MICS Droite, Kystitome / MICS Kapsulorhexispinzette, gerade

Length : 105 mm
Handle length : 76 mm
45° angled 0.3 mm notched tips,
with 11 mm platform
1.8 mm incision

SC133M



CAPSULORHEXIS



Just One Use // *Le sigle « Just One Use » affirme le caractère usage unique de nos instruments.* **Sécurité :** réduire le risque de contamination croisée. **Économie :** éliminer les coûts de réparation et de re-stérilisation. **Performance :** usinés en acier inoxydable de grade médical, nos instruments à usage unique offrent une ergonomie, un poids et un équilibre équivalents aux instruments re-stérilisables. **Praticité :** réduire le temps de préparation au bloc, présentation en sets ou à l'unité.

FORCEPS / Pinces / Pinzetten


FIXATION | GENERAL | LENS | TYING



JUST ONE USE


ADSONS DISSECTION FORCEPS / Pince d'Adson à Griffes / Adson Dissektionspinzette

Length : 125 mm
Handle length : 97 mm
1 into 2 teeth
28 mm platform



SC59

FIXATION



BISHOPS FORCEPS / Pince de Bishop / Bishops Pinzette


Length : 105 mm
Handle length : 75 mm
1 into 2 teeth



SC56

Usage Unique Inox **SC56**
Usage Réutilisable Inox **RUC56**

FIXATION



SWAN NECK TYPE PLAIN FORCEPS / Pince plate type col de cygne / Flache Pinzette mit Schwanenhals


Length : 114 mm
Handle length : 79 mm



SC35

Usage Unique Inox **SC35**
Usage Réutilisable Inox **RUC35**

FIXATION




BONN FORCEPS / Pince de Bonn, à Griffes, Manche court / Irispinzette, Bonn, kurzer Griff

Length : 85 mm
Handle length : 57 mm
1 into 2 teeth
Short handle
5 mm platform

SC38



FIXATION




BONN FORCEPS / Pince de Bonn, à Griffes, Manche long / Irispinzette, Bonn, langer Griff

Length : 105 mm
Handle length : 76 mm
1 into 2 teeth
5 mm platform

SC129



FIXATION



COLIBRI TOOTHED FORCEPS / Pince Colibri, à Griffes, Manche long / Kolibri Pinzette, gezahnt, langer Griff


Length : 110 mm
Handle length : 72 mm
55° angled
1 into 2 teeth
4 mm platform

Usage Unique Inox **SC22**
Usage Réutilisable Inox **RUC22**

SC22



FIXATION




COLIBRI TYING FORCEPS / Pince Colibri, à Griffes, Manche court / Kolibri Pinzette, gezahnt, kurzer Griff

Length : 85 mm
Handle length : 59 mm
55° angle forked tip
Short handle
4 mm platform

SC20



FIXATION



JUST ONE USE

HOSKINS FORCEPS / Pince de Hoskins / Hoskins Pinzette

Length : 85 mm
Handle length : 56 mm
Notched forceps
5 mm platform

Usage Unique Inox **SC55**
Usage Réutilisable Inox **RUC55**

SC55



FIXATION



STRAIGHT NOTCHED FORCEPS (HOSKINS) / Pince à fixer alvéolée de Hoskins / Hoskins Pinzette gerade


Length : 110 mm
Handle length : 76 mm
Notched forceps
5 mm platform

Usage Unique Inox **SC49**
Usage Réutilisable Inox **RUC49**
Usage Réutilisable Titane **TRU17**

SC49



FIXATION




IRIS FORCEPS POINTED / Pinces à iris, Extrémités pointues, Mors striés / Irispinzette, gerade, gerieft

Length : 110 mm
Handle length : 69 mm
Serrated 15 mm platform

SC128



FIXATION



ST. MARTINS FORCEPS / Pince de Paufique / St. Martins Pinzette


Length : 84 mm
Handle length : 56 mm
1 into 2 teeth
6 mm platform

Usage Unique Inox **SC54**
Usage Réutilisable Inox **RUC54**
Usage Réutilisable Titane **TRU05**

SC54



FIXATION



ADSONS FORCEPS / Pince d'Adson, Mors striés / Adson anatomische Pinzette, gerieft

Length : 125 mm
Handle length : 97 mm
14 mm serrated platform

SC119



GENERAL




EPILATION - CILIA FORCEPS / Pince à Cil / Fremdkörper & Zilienpinzette

Length : 73 mm
50 mm platform

SC58



GENERAL



JEWELLERS FORCEPS / Pince de Joailler / Feine Fadenpinzette (Jewellers)


Length : 115 mm
Handle length : 82 mm
0.1 mm fine pointed ends
32 mm platform

Usage Unique Inox **SC60**
Usage Réutilisable Inox **RUC60**

SC60



GENERAL



STRAIGHT TOOTHED FORCEPS FINE / Pince à Tissus, droite / Pinzette gerade, fein mit Zähnen


Length : 105 mm
Handle length : 78 mm
1 into 2 teeth
5 mm platform

Usage Unique Inox **SC21**
Usage Réutilisable Inox **RUC21**

SC21



FIXATION



JUST ONE USE

MOSQUITO FORCEPS / Pince Mosquito / Mosquito Pinzette

Length : 130 mm
Handle to tip : 98 mm
22 mm serrated clamp area

Usage Unique Inox **SG02**
Usage Réutilisable Inox **RUG02**

SG02



GENERAL




LENS FOLDING FORCEPS / Pince à implants / IOL Faltpinzette

Length : 105 mm
Handle length : 78 mm
45° angled
1 cm platform

SC51



LENS



MOORFIELDS FORCEPS / Pince de Moorfield / Moorfield Pinzette

Length : 110 mm
Handle length : 68 mm
Serrated 15 mm platform

SA12



GENERAL




MOORFIELDS FORCEPS FINE / Pince de Moorfield Pointes fines / Moorfield Pinzette, fein

Length : 110 mm
Handle length : 71 mm
Serrated 15 mm platform

SA17



GENERAL




LENS IMPLANTATION FORCEPS / Pince à implantation IOL / IOL Implanations Pinzette

Length : 105 mm
Handle length : 76 mm
45° angled tips
10 mm platform

SC52



LENS



KELMAN MC PHERSON FORCEPS / Pince Kelman McPherson / Kelman Mc Pherson Pinzette


Length : 83 mm
Handle length : 57 mm
50° angled 7 mm tying platform

Usage Unique Inox **SC73**
Usage Réutilisable Inox **RUC73**

SC73



TYING



MC PHERSON TYING FORCEPS / Pince McPherson / Angewinkelte Fadenpinzette (McPherson)

Length : 105 mm
Handle length : 76 mm
45° angled 5 mm tying platform

Usage Unique Inox **SC72**
Usage Réutilisable Inox **RUC72**
Usage Réutilisable Titane **TRU21**

SC72



TYING



CURVED NOTCHED FORCEPS / Pince courbe alvéolée / Gebogene chirurgische Pinzette

Length : 100 mm
Handle length : 76 mm
Curved 5 mm tying platforms

SC50



TYING



JUST ONE USE

STRAIGHT TYING FORCEPS / Pince à fil droite, MC / Knüpf-/Fadenpinzette gerade


Length : 85 mm
Handle length : 56 mm
5 mm tying platform

Usage Unique Inox **SC19**
Usage Réutilisable Titane **TRU04**

SC19



TYING




SUTURE REMOVAL FORCEPS CURVED / Pince à sutures, courbe / Fadenpinzette zur Nahtentfernung, gebogen

Length : 105 mm
Handle length : 76 mm
Pointed tips
5 mm tying platform

SC120



FIXATION




TROUTMAN TYING FORCEPS CURVED / Pince monofilament de Troutman / Knüpfpinzette nach Troutman, gebogen

Length : 105 mm
Handle length : 76 mm
Curved tips
5 mm tying platform

SC105



TYING




STRAIGHT TYING FORCEPS / Pince à fil droite, ML / Knüpf-/Fadenpinzette gerade

Length : 105 mm
Handle length : 75 mm
5 mm tying platform

SC71



TYING




LINDGREN FORCEPS / Pince de Lindgren / Lindgren Pinzette

Superior rectus forceps Curved
Length : 110 mm
Handle length : 70 mm
1 into 2 teeth

SC99



TYING




MANIPULATORS & CHOPPERS

Manipulateurs & Choppers

Manipulatoren & Chopper

Just One Use // ***Das Akronym « Just One Use » bestätigt die einzigartige Verwendung unserer Instrumente.***
Sicherheit : Reduziert das Risiko einer Kreuzkontamination.
Wirtschaftlichkeit : Kosten für Reparatur und Sterilisation entfallen.
Leistung : Verwendung von medizinischem Stahl, Instrumente mit einzigartiger Ergonomie, Gewicht und Beschaffenheit, die äquivalent zu sterilisierbaren Instrumenten ist.
Komfort : Verkürzung der Vorbereitungszeit, erhältlich als Sets oder Einzelinstrumente.




CHOPPER AND DIALLER / Double Manipulateur Chopper/Y / Chopper und Spalter

Length : 120 mm
Handle length : 76 mm
45° angled ends
One rounded tip and one 1 mm Y shaped end
Round bodied
Double ended

SC39






DENIS CLEAVER / Cliver de Denis / Denis Spalter

Handle length : 95 mm
0,3mm Curved Cleaver
Tip angled left 30° from 11mm 45° angled shaft
Round bodied

SC97






GREENS CHOPPER / Chopper de Greens / Greens Chopper

Length : 115 mm
Handle length : 95 mm
30° angled top curved rounded hook
Round bodied

SC45





GOVAN MANIPULATOR / Manipulateur Govan / Govan Manipulator

Lenght : 100 mm
Handle length : 75 mm
0.4 mm x 0.2 mm x 10.4 mm flattened tip
60° angle pointed tip
Round bodied

SC100






GOVAN MANIPULATOR AND PHACO CHOPPER / Chopper Phaco & Manipulateur Govan / Govan Manipulator & Phako Chopper

Length : 120 mm
Handle length : 78 mm
60° pointed end and 90° blunt end
Round bodied
Double ended

SC102





IRIS REPOSITOR / Manipulateur à iris / Iris Repositor

Length : 130 mm
Handle length : 98 mm
Round bodied

Usage Unique Inox **SC63**
Usage Réutilisable Inox **RUC63**

SC63






JONES CHOPPER / Chopper Jones / Jones Chopper

Length : 120 mm
Handle length : 95 mm
45° angled pointed tip
Round bodied

Usage Unique Inox **SC90**
Usage Réutilisable Inox **RUC90**

SC90






KOCH CHOPPER / Chopper Koch / Koch Chopper

Length : 120 mm
Handle length : 95 mm
45° angled 1 mm rounded tip
Round bodied

Usage Unique Inox **SC44**
Usage Réutilisable Inox **RUC44**

SC44






KOCH PHACO SPATULA / Spatule de Koch / Phako Spatel nach Koch

Length : 120 mm
Handle length : 96 mm
Slight curved spatula
Round bodied

SC143






KUGLEN HOOK / Crochet de Kuglen / Häkchen nach Kuglen

Length : 115 mm
Handle length : 95 mm
45° angled blunt, flat hooked tip
Round bodied

SG15






LEBUISSON MANIPULATOR / Manipulateur Lebuisson / Lebuisson Manipulator

0.40 mm × 0.50 mm × 1.00 mm spatula tip
Ø0.3 mm curved 12.6 mm
90° angled shaft
Length : 115 mm
Handle length : 90 mm
Round bodied

SC106






LENS DIALER (SINSKEY HOOK) / Crochet de Sinskey / Linsenhäkchen nach Sinskey

Length : 120 mm
Handle length : 95 mm
35° angled
Round bodied

SC46






LESTER HOOK / Crochet de Lester / Lester Haken

Handle length : 95 mm
Ø0.25 mm ball on 0.4 mm finger
10mm 45° angled shaft
Length : 115 mm
Handle length : 100 mm
Round bodied

SC146






PHACO CHOPPER AND MUSHROOM MANIPULATOR DOUBLE ENDED / Manipulateur Double Chopper-Champignon / Phaco Chopper und Mushroom Manipulator (Kombi-Instrument)

Length : 120 mm
Handle length : 70 mm
45° chopper
Round bodied
Double ended

SC147






PHACO CHOPPER / Chopper Phaco / Phako Chopper

Length : 120 mm
Handle length : 95 mm
40° angled round end
Round bodied

Usage Unique Inox **SC43**
Usage Réutilisable Inox **RUC43**

SC43





PHACO CHOPPER CLAW / Chopper Claw, fin / Phako Claw Chopper (krallen förmig, fein)

Length : 120 mm
Handle length : 95 mm
40° angled tip, hooked tip
Round bodied

Usage Unique Inox **SC42**
Usage Réutilisable Inox **RUC42**
Usage Réutilisable Titane **TRU19**

SC42





JUST ONE USE


DRYSDALE NUCLEUS SPATULA / Manipulateur Drysdale / Drysdale Nukleus Manipulator

Length : 110 mm
Handle length : 95 mm
45° angled paddle shaped tip
Round bodied

Usage Unique Inox **SC47**
Usage Réutilisable Inox **RUC47**

SC47





SINSKEY HOOK AND GOVAN MANIPULATOR DOUBLE ENDED / Manipulateur double Sinskey-Govan / Sinskey Häkchen und Govan Manipulator (Kombi-Instrument)

Length : 120 mm
Handle length : 76 mm
60° manipulator and 45° hooked end
Round bodied
Double ended

SC144






MUSHROOM NUCLEUS MANIPULATOR / Manipulateur champignon / Mushroom Nukleus Manipulator

Length : 120 mm
Handle length : 95 mm
45° angled mushroom shaped tip
Round bodied

Usage Unique Inox **SC48**
Usage Réutilisable Inox **RUC48**

SC48





Y SHAPED NUCLEUS ROTATOR / Manipulateur de Noyau Y, Vertical / Y-Nukleus Rotator

Length : 120 mm
Handle length : 95 mm
40° angled tip Y shaped end
Round bodied

SC41






CHOPPER AND KUGLEN HORIZONTAL DOUBLE ENDED / Manipulateur double Chopper/Kuglen / Kombi Manipulator Chopper/Kuglen

Length : 127 mm
Handle length : 70 mm
60° spatula shaped chopper
40° horizontal kuglen hook

SC95






NAGAHARA CLEAVER / Chopper Nagahara / Nagahara Chopper

Length : 117 mm
Handle length : 91 mm

SC148






Just Quality // *Quality of manufacture and irreproachable ethics.*
Our instruments are CE marked and manufactured in compliance with current international standards. All our products are subject to rigorous quality testing throughout the design and manufacturing. We inspect each surgical instruments that we manufacture, and every instrument is hand finished. We strive to operate and behave in an ethical and responsible way.


SPECULUMS / Blépharostats / Lidsperrer

WIRE | MECHANICAL | PAEDIATRIC

KRATZ CLOSED LOOP SPECULUM
Blépharostat temporal de Barraquer
Lidsperrer nach Barraquer, feiner gebogener Draht temporal offen

Length : 32 mm
50° angle at base







KRATZ BARRAQUER CLOSED LOOP SPECULUM / Blépharostat Kratz-Barraquer, fenêtré / Lidsperrer Kratz-Barraquer, gefenstert

Length : 43 mm
50° angle at base

SC132




WIRE



KRATZ BARRAQUER WIRE SPECULUM OPEN LOOP / Blépharostat Kratz-Barraquer, anses fil / Kratz-Barraquer Lidsperrer, feiner gebogener Draht temporal offen

Length : 47 mm
Width : 31 mm
50° angle at base

SC11




WIRE




KRATZ OPEN LOOP WIRE SPECULUM (BLUE) / Blepharostat de Kratz (bleu) / Kratz Lidsperrer mit offenen Valven (Blau)

Length : 44 mm
Overall width : 30 mm
50° angle at base

SC107



WIRE




WIRE SPECULUM OPEN LOOP / Blepharostat Kratz-Barraquer fil, ouvert / Kratz-Barraquer Spekulum mit offenen Valven

Length : 38 mm
Overall width : 39 mm
Wire width : 0.9 mm

SC150



WIRE




KRATZ SOLID BLADED WIRE SPECULUM / Blépharostat Kratz-Barraquer, anses pleines (Chrome) / Kratz-Barraquer Lidsperrer, Valven aus Chrom (solid)

Length : 42 mm
Width : 30 mm
65° angleat base

SC05




WIRE




TEMPORAL SPECULUM / Blépharostat temporal de Kratz / Lidsperrer nach Kratz, feiner gebogener Draht temporal offen

Length : 50 mm
Width : 42 mm

SC12



WIRE




BANGERTER ADULT SPECULUM / Blepharostat de Bangerter / Lidsperrer für Erwachsene nach Bangerter

Length : 50 mm
sliding screw adjustable
Blade length : 15 mm

SC03



MECHANICAL




LIEBERMAN ADJUSTABLE SPECULUM, STAINLESS STEEL / Blépharostat Lieberman mécanique, anses fil / Mechanisches verstellbarer Lidsperrer nach Lieberman

Overall Length : 81 mm
Blade Length : (R) 14.5 mm / (L) 14.2 mm
Radius of blades : 2.5 mm
Thickness of wire : 0.9 mm

SC121



MECHANICAL




BLADED ADJUSTABLE SPECULUM / Blépharostat mécanique, anses pleines / Lidsperrer nach Barraquer, Valven aus Vollmaterial

Length : 75 mm
Blade length : 15 mm

SR10



MECHANICAL




CLARKE SPECULUM / Blépharostat de Clarke / Clarke Lidsperrer

Length : 80 mm
Open loop : 12 mm

SC126



MECHANICAL



KRATZ SCREW ADJUSTABLE WIRE SPECULUM OPEN LOOP / Blépharostat mécanique Kratz, anses fil / mechanisches verstellbarer Lidsperrer nach Kratz (feiner gebogener Draht) temporal offen


Length : 78 mm
Blade length : 15 mm

Usage Unique Inox	**SR11**
Usage Réutilisable Inox	**RUR11**
Usage Réutilisable Titane	**TRU22**

SR11



MECHANICAL




SOLID BLADED SCREW ADJUSTABLE SPECULUM / Blépharostat mécanique / Mechanisch feststellbarer Lidsperrer mit Valven aus Vollmaterial

Length : 85 mm
Blade length : 14 mm

SC08



MECHANICAL




KRATZ PAEDIATRIC CLOSED LOOP 10 MM SPECULUM / Blépharostat pédiatrique de Kratz / Paediatrischer Lidsperrer nach Kratz 10mm

Length : 29 mm
Width : 30 mm
10 mm closed loop

SC10




PAEDIATRIC



NEONATE PAEDIATRIC SPECULUM / Blépharostat néonatal Necker / Neonatal pediatrischer Lidsperrer

Length : 25 mm
Width : 20 mm
4 mm closed loop
80° angle at base

SC103



PAEDIATRIC




NEONATE 4 MM SPECULUM / Blépharostat néonatal 4 mm / Neonatal Lidsperrer 4 mm

Length : 25 mm
Width : 31 mm
20-30 mm adjustable
3 mm blade

SC15



PAEDIATRIC




PAEDIATRIC 6 MM SPECULUM / Blépharostat pédiatrique 6mm / Paediatrischer Lidsperrer 6mm

Length : 25 mm
Width : 35 mm
6 mm blade

SC14




PAEDIATRIC




HEAVY GAUGE WIRE SPECULUM OPEN LOOP / Blépharostat fil, grand diamètre / Drahtlidsperrer groß (Heavy Gauge), offen

Length : 72 mm
Overall width : 58 mm

SC124




WIRE



KRATZ BARRAQUER CLOSED LOOP / Blépharostat de Barraquer, fenêtré / Lidsperrer nach Kratz , gefenstert

Length : 40 mm
Width : 42 mm

SC09



WIRE



Just Quality // *Une qualité de fabrication et une éthique irréprochables.* Nos instruments sont marqués CE et fabriqués dans le respect des normes internationales en vigueur. Les process de fabrication intègrent des contrôles qualité et inspections, garants de la reproductibilité et de la qualité des instruments mis sur le marché. Nous nous efforçons d'agir de manière éthique et responsable.

SCISSORS / Ciseaux / Scheren

SPRING HANDLED | SPECULUMS PAEDIATRIC



CASTROVIEJO CORNEAL SCISSORS RIGHT AND LEFT / Ciseaux de Castroviejo droite et gauche / Castroviejo Cornea Schere rechts und links


Length : 100 mm
Handle length : 75 mm
Castroviejo corneal scissor right (SC82)
Castroviejo corneal scissor left (SC83)
8 mm blade

Usage Unique Inox **SC82 / SC83**
Usage Réutilisable Inox **RUC82 / RUC83**

SC82
SC83



SPRING HANDLED




CASTROVIEJO SCISSORS STRAIGHT & ROUND / Ciseaux de Castroviejo, courbes, mousses / Castroviejo Mikro-Schere, gebogen, stumpf

Length : 110 mm
Handle : 65 mm
11 mm blade

SC110



SPRING HANDLED



ONG IRIS SCISSORS / Ciseaux ONG / ONG Iris Schere


Length : 88 mm
Handle : 52 mm
10 mm blade

Usage Unique Inox **SC80**
Usage Réutilisable Inox **RUC80**

SC80



SPRING HANDLED



OSHER SCISSORS / Ciseaux à implant (Osher) / Osher Schere

Length : 95 mm
Handle length : 61 mm
Fine serrated cutting platform
9 mm blade

SC109



SPRING HANDLED



JUST ONE USE

STALLARD CORNEAL SCISSORS / Ciseaux de Stallard / Stallard Hornhautschere


Length : 120 mm
Handle length : 67 mm
Fine pointed ends
40 mm blade

Usage Unique Inox **SA13**
Usage Réutilisable Inox **RUA13**

SA13



SPRING HANDLED




VANNAS SCISSORS / Ciseaux de Vannas / Vannas Schere

Length : 83 mm
Handle length : 52 mm
8 mm blade

SC81



SPRING HANDLED




VANNAS SCISSORS CURVED / Ciseaux de Vannas, courbes / Vannas Schere gebogen

Length : 100 mm
Handle length : 62 mm
Sharp pointed end
9 mm blade

SC108



SPRING HANDLED



WESTCOTT CONJUCTIVAL SCISSORS / Ciseaux de Westcott, courbes / Westcott Bindehautschere

Length : 115 mm
Handle length : 79 mm
12 mm blade

Usage Unique Inox **SA11**
Usage Réutilisable Inox **RUA11**

SA11



SPRING HANDLED




WESCOTT SCISSORS DOLPHIN NOSE / Ciseaux de Wescott, extrémités émoussées (en forme de dauphin) / Westcott Schere, stumpfe Enden (delphinförmig)

Length : 115 mm
Handle length : 67 mm
10 mm blade

SA14



SPRING HANDLED



GENERAL SCISSORS BLUNT END / Ciseaux courts, pointes droites, bout mousse / Augenschere, stumpfe Enden


Length : 89 mm
Blunt end
24 mm blade

Usage Unique Inox **SG06**
Usage Réutilisable Inox **RUG06**

SG06



GENERAL



DRESSING SCISSORS / Ciseaux à disséquer, extrémités courbes et mousses / Verbandschere gebogen mit abgerundete Spitze

Length : 115 mm
Handle length : 26 mm
30 mm blade

SG35



GENERAL



GENERAL SCISSORS SHARP POINTED / Ciseaux courts pointus / Augenschere, spitze Enden


Length : 88 mm
Sharp pointed end
22 mm blade

Usage Unique Inox **SG01**
Usage Réutilisable Inox **RUG01**

SG01



GENERAL



JUST ONE USE

STRABISMUS SCISSORS / Ciseaux à strabisme / Strabismus Schere

Length : 115 mm
Blunt end
38 mm blade

SG07



SPRING HANDLED



STEVENS SCISSORS CURVED / Ciseaux de Stevens courbes / Schere nach Stevens, gebogen


Length : 115 mm
38 mm blade
30 mm tip

Usage Unique Inox **SG23**
Usage Réutilisable Inox **RUG23**

SG23



SPRING HANDLED




IRIS SCISSORS / Ciseaux à iris, ciseaux à disséquer, droits, pointus / Iris Schere, gebogen

Sharp, pointed end
Overall length : 109 mm
Blade length : 22 mm
Tip width : 0.7 mm

SC96



SPRING HANDLED




STEVENS TENOTOMY SCISSORS POINTED / Ciseaux de Stevens, courbes, pointus / Stevens-Schere, gebogen, spitz

Overall length : 116.4 mm
Tip width : 1.91 mm

SG31



GENERAL



Just Quality // *Qualität der Herstellung und einwandfreie Ethik*.
Unsere Instrumente sind CE-gekennzeichnet und werden in Übereinstimmung mit den aktuellen internationalen Standards hergestellt. Zu den Fertigungsprozessen gehören Qualitätskontrollen und Prüfungen, die Reproduzierbarkeit und die Qualität der auf den Markt gebrachten Geräte garantieren. Wir bemühen uns, ethisch und verantwortungsvoll zu handeln.

MEASURERS & MARKERS

Mesureurs & Marqueurs

Messinstrumente & Marker



JUST ONE USE


BRAUNSTEIN FIXED CALIPER 1.8 MM THICKNESS / Marqueur de Braunstein, métal / Braunstein Kaliber fix 1.8 mm Dicke

Length : 68 mm
Thickness : 1.8 mm
Handle lenght : 61 mm

Usage Unique Inox **SG04**
Usage Réutilisable Inox **RUG04**

SG04






CASTROVIEJO ADJUSTABLE CALIPER / Compas de Castroviejo, pointes droites / Castoviejo verstellbarer Zirkel

Length : 85 mm
Width : 43 mm
20 mm measure

SG05






8 LINE CORNEAL MARKER / Marqueur cornéen 8 branches / Sternförmiger Kornea Marker mit 8 Linien

Overall Length : 109 mm
Handle length : 81 mm

SR72






SCLERAL MARKER ROUND BODIED DOUBLE ENDED / Marqueur scléral métal 3.5 mm - 4.5 mm / Skleral Marker runder Griff, zweiseitig

4.5 mm and 3.5 mm marking ends
Length : 110 mm
Handle : 60 mm
Round bodied
Double ended

SG19






MENDEZ GAUGE / Anneau de Mendez / Messlehre nach Mendez (zur Bestimmung des Einschnittwinkels)

Length : 120 mm
Handle length : 80 mm
180° circular marker

Usage Unique Inox **SC65**
Usage Réutilisable Inox **RUC65**

SC65





Just Innovation // *Continuous improvement and innovation are our driving force.*
Our research and development team is constantly monitoring the market in order to offer surgical instruments in line with expressed needs. Our know-how is at the disposal of the users for any request for development of new or custom made instruments.

CURETTES & CLAMPS

Curettes & Pinces

Küretten & Klemmen


CURETTE VARIOUS SIZES / Curettes à chalazion / Küretten verschieden Größen

Length : 110 mm
Handle length : 80 mm
CR01 Curette small
CR02 Curette medium,
(2.5 mm diameter chalazion curette)
CR03 Curette large,
(4 mm oval shaped chalazion curette)

CR01
CR02
CR03



CURETTES




CURETTE DOUBLE ENDED / Curette double / Kürette zweiseitig

Length : 130 mm
Handle length : 65 mm
Chalazion curette 2.5 mm diameter end
and oval end

CR05



CURETTES




CHALAZION CLAMP SMALL / Pince à chalazion 12 mm / Chalazion Klemme klein

Length : 115 mm
Handle length : 82 mm
12 mm diameter plate

CS01



CLAMPS




CHALAZION CLAMP LARGE / Pince à chalazion large, ovale / Chalazion Klemme groß

Length : 85 mm
Handle length : 53 mm
21 mm diameter oval plate

CS02



CLAMPS



Just Innovation // *L'amélioration continue et l'innovation sont nos moteurs.*
Notre équipe de recherche et développement est constamment à l'écoute du marché, afin de proposer des instruments chirurgicaux en adéquation avec les besoins exprimés. Notre savoir-faire est à la disposition des utilisateurs pour toute demande de développement d'instruments nouveaux ou sur-mesure.

NEEDLE HOLDERS

Porte-Aiguilles
Nadelhalter




SC61

SUTURE NEEDLE HOLDER CURVED
Porte-aiguille, mors courbes
Nähnadelhalter, gebogen

Length : 135 mm
Handle length : 86 mm
6 mm jaw

Usage Unique Inox	**SC61**
Usage Réutilisable Inox	**RUC61**




BARRAQUER NEEDLE HOLDER CURVED / Porte-Aiguille de Barraquer, courbe / Barraquer Nadelhalter gebogen

Length : 115 mm
Handle length : 82 mm
12 mm diameter plate
Round bodied

SC142






CASTROVIEJO NEEDLE HOLDER LOCKING / Porte-aiguille de Castroviejo droit, verrou / Castroviejo Nadelhalter mit Sperre

Length : 140 mm
Handle length : 82 mm
Straight tips 20.7 mm
Flat handle

SC118






NEEDLE HOLDER CURVED / Porte-aiguille, courbe / Nadelhalter, gebogen

Length : 100 mm
Handle length : 75 mm

SC114






Just Innovation // *Unser Bestreben sind kontinuierliche Verbesserung und Innovationen.*
Unser Forschungs und Entwicklungsteam hat ständig ein offenes Ohr am Markt, um chirurgische Instrumente entsprechend den Anforderungen anzubieten. Unser Know-how steht den Benutzern für jede Anfrage zur Entwicklung neuer oder maßgeschneiderter Instrumente zur Verfügung.

LACRIMAL

Lacrymal

Lakrimal




JUST ONE USE

BOWMANS PROBE SIZE 00-0 DOUBLE ENDED / Sonde de Bowman double 00-0 / Tränenwegsonde Bowman Größe 00-0 zweiseitig

Length : 50 mm
Handle length : 30 mm

PD05






BOWMANS PROBE SIZE 000-00 DOUBLE ENDED / Sonde de Bowman double 000-00 / Tränenwegsonde Bowman Größe 000-00 zweiseitig

Length : 50 mm
Handle length : 30 mm

PD06





LACRIMAL PROBE / Sonde à voies lacrymales / Lakrimal Sonde

Length : 95 mm
Handle length : 15 mm
0.5 mm pointed end

PD08





PUNCTAL DILATOR BLUNT / Dilatateur voies lacrymales, mousse / Tränenwegsonde stumpf

Length : 95 mm
Handle length : 80 mm
0.4 mm pointed sharp end
Round bodied

PD02






PUNCTAL DILATOR DOUBLE ENDED / Dilatateur voies lacrymales, fin-medium / Tränenwegsonde zweiseitig

Length : 115 mm
Handle length : 85 mm
0.4 and 0.3 mm sharp pointed ends
Round bodied

PD03





PUNCTAL DILATOR SHARP / Dilatateur voies lacrymales, très fin / Tränenwegsonde scharf

Length : 95 mm
Handle length : 78 mm
0.2 mm pointed sharp end
Round bodied

PD01





PUNCTAL DILATOR & LACRIMAL PROBE DOUBLE ENDED / Dilatateur-Sonde pour voies lacrymales / Tränenwegsonde zweiseitig

Length : 140 mm
Handle length : 70 mm
Curved and pointed end

PD07





CORNEAL & REFRACTIVE

Cornée & Réfractive

Korneal & Refraktiv


REINSTEIN LENTICULE SEPARATOR


Séparateur Relex

Relex Häkchen

SR70

Length : 110 mm
Handle lenght : 90 mm
90° angled





LASIK FLAP-LIFTING FORCEPS


Pince angulée mors long

Lasik Flap Hebepinzette

SR14

Overall length : 103 mm
Handle length : 78 mm
11 mm platform





DMEK BERNHEIM HOOK / Crochet DMEK de Bernheim / DMEK Häkchen nach Bernheim

Length : 120 mm
Handle length : 95 mm

SR109





CORNEAL EPITHELIUM SPATULA ROUND / Spatule pour épithelium cornéen, ronde / Epithelium Hornhautspatel, rund

Length : 110 mm
Handle length : 85 mm

SR100






CK LASIK MARKER / Marqueur LASIK avec croix de centrage / Hornhautmarker mit Fadenkreuz

Length : 100 mm
Handle length : 76 mm
Facilitate marking of the cornea
Round bodied

SR40





EPI PEELER / Scarificateur cornéen / Epi Peeler

Length : 110 mm
Handle length : 95 mm
Manipulate epithelium during surgery

SR51






EPI PEELER RECTANGLE SHAPED / Scarificateur, forme D / Epi Peeler - quadratische Form (LASIK)

Length : 110 mm
Handle length : 95 mm

SR61






EPI PEELER D SHAPED / Scarificateur Micro-Houe / Epi Peeler, gebogen

Length : 110 mm
Handle length : 95 mm

SR60






INTRA LASIK FLAP SEPARATOR / Elévateur volet cornéen, crochet pointu / Intra-Lasik Flap Separator

Length : 120 mm
Round bodied

SR34






KOCABA DMEK FORCEPS / Pince DMEK de Kocaba / Kocaba DMEK Pinzette

Length : 86 mm
Handle length : 56 mm

SR102






ALCOHOL WELL VARIOUS SIZES / Anneau marqueur / Lasek Alkohol Trichter

Length : 125 mm
Handle length : 92 mm
Liquid holding well for alcohol application
Round bodied
SR41 9 mm
SR42 8 mm
SR43 7 mm

SR41






LASIK CORNEAL MARKER / Marqueur cornéen en fourche / Lasik Hornhautmarker

Length : 120 mm
Handle length : 91 mm
Y shaped forked marker

SR21






LASIK FLAP ELEVATOR / Spatule Flap Lasik / LASIK Flap Heber

Length : 120 mm
Handle length : 95 mm
45° angled, 12 mm tip with 0.1 mm rounded end

Usage Unique Inox **SR31**
Usage Réutilisable Inox **RUR31**

SR31






LASIK FLAP FORCEPS / Pince Flap Lasik / Lasik Flap Pinzette

Length : 100 mm
Handle length : 77 mm
40° angled platform, circular 1 mm tips

SR71






LASIK FLAP SEPERATOR AND ELEVATOR DOUBLE END / Séparateur-élévateur LASIK, droit / Flap Heber gerade

Length : 120 mm
Handle length : 70 mm
45° and 65° ends
Double ended

SR103






LENTICULE SEPERATOR HOOK AND SPATULA DOUBLE END / Relex Crochet / Séparateur, Spatule / Relex Häkchen / Separator (Kombi-Instrument)

Length : 110 mm
Handle length : 70 mm
75° ends
Double ended

SR104






S MARKER / Marqueur DMEK «S» / S Marker

Length : 110 mm
Handle length : 90 mm
45° angle 2 mm marking end

Usage Unique Inox **SR101**
Usage Réutilisable Inox **RUR101**

SR101






TREPHINE VARIOUS SIZES / Trépan cornéen / Trepane verschiedene Größen

SR105 17 mm
SR106 18 mm
SR107 19 mm
SR110 16 mm

SR105






SINSKEY AND REVERSE SINSKEY HOOK / Manipulateur double Sinskey-Sinskey inversé / Sinskey Häkchen umgekehrt Doppelinstrument

Length : 120 mm
Handle length : 70.3 mm
Round bodied
Double ended

SR03






CORNEAL RING PUSHER / Manipulateur anneau intra-cornéen / Manipulator für Cornealen Ring

Length : 110 mm
Handle length : 91 mm
Round bodied

SR04






CORNEAL RING FORCEPS KERARING / Pince à anneau intra-cornéen - Keraring / Keraring Pinzette für Cornealen Ring

Overall Length : 103 mm
Handle Length : 77 mm

SR07






CORNEAL RING FORCEPS INTACS / Pince à anneau intra-cornéen - INTACS / Intacs Pinzette für Cornealen Ring

Length : 81 mm
Handle length : 53 mm

SR08






PATON SPATULA & SPOON DOUBLE ENDED / Spatule double de Paton / Paton Spatel und Löffel Zweiseitig

Length : 151 mm
Handle length : 71 mm
Round bodied
Double ended

SR108






LENTICULE EXTRACTION FORCEPS / Pince à extraction de lenticule / Lentikel Extraktion Pinzette

Overall Length : 115 mm
Handle Length : 81 mm

SR01






CORNEAL MARKER CAPSULORHEXIS GUIDE / Marqueur cornéen 6mm / Hornhautmarker für Kapsulhorexis

Length : 120 mm
Handle length : 92 mm
6 mm well
Round bodied

SC130





GENERAL OPHTHALMIC

Ophtalmologie Générale


Allgmeine Ophthalmologie

CHAVASSE HOOK / Crochet de Chavasse / Chavasse Häkchen

Length : 130 mm
Handle length : 98 mm
90° angle, curved hooked tip

SC91






DESMARRES RETRACTOR / Rétracteur de Desmarres / Desmarres Retraktor

Length : 140 mm
Handle length : 100 mm

Usage Unique Inox **SG20**
Usage Réutilisable Inox **RUG20**

SG20






GUTHRIE HOOK / Crochet de Guthrie / Guthrie Häkchen

Length : 120 mm
Handle length: 90 mm
Two pronged hook

SG37





HALSTEAD MOSQUITO FORCEPS STRAIGHT / Pince de Halstead, droite / Halstead Arterienklemme, gerade

Length : 125 mm

SG33






JAMESON STRABISMUS HOOK 5 MM / Crochet à strabisme de Jameson / Jameson Schielhaken

Length : 110 mm
Handle length : 83 mm
60° hook with rounded bulbous tip
Extended version 8 mm hook

SG10






MOSQUITO FORCEPS CURVED / Pince Mosquito, courbe / Mosquito Pinzette, gebogen

Length : 125 mm
22 mm serrated clamp area

Usage Unique Inox **SG22**
Usage Réutilisable Inox **RUG22**

SG22





SCLERAL DEPRESSOR BULBOUS END / Dépresseur scléral / Skleral Depressor wulstige Enden

Length : 130 mm
Handle length : 92 mm
2.5 mm 10° angled bulbous end

SC23






SCLERAL DEPRESSOR DOUBLE ENDED / Dépresseur scléral double de Schocket / Skleral Depressor zweiseitg

Length : 135 mm
Handle length : 60 mm
6 mm, 2 mm ha mmer end,
2.5 mm 10° angled bulbous end
Double ended

SC25






SCLERAL DEPRESSOR HAMMER END / Dépresseur scléral courbe / Skleral Depressor hammerförmiges Ende

Length : 125 mm
Handle length : 92 mm
6 mm hammer, 2 mm ends

SC24






TRABECULECTOMY PUNCH / Punch à trabéculectomie / Trabekulotomie Stanze

Length : 120 mm
Handle length : 90 mm

SG03






JAMESON HOOK / Crochet de Jameson, long / Jameson Haken

Overall length : 109 mm
Handle length : 83 mm

SG11






Tran Canula®


fabrinal EYE CARE











The Tran Canula® is a sterile and single use irrigation cannula used by physician in controlled environment to clear the pseudo-exfoliative particles in the anterior chamber of the eye. Unlike a conventional single jet irrigation cannula, this new instrument is characterized by two distinct water jets separated from each other by a 30° angle. Thanks to the unique design of the cannula and the laws of micro-hydrodynamics, these two independent fluid streams merge into one, more powerful, since they touch an obstacle.

TRAN CANULA®, TC- 01, SPECIFICATIONS

- Reference : TC- 01
- Cannula length : 19 mm
- Radius of curvature : 25 mm
- Outside diameter : 0.8 mm
- Design : Dr. V.T. Tran

TRAN CANULA® PACKAGING

- In a double sterile blister pack ; single use only.
- Packaging : 5 pieces
- 205 x 57 x 45 mm

JUST ONE USE

Tran Canula®

fabrinal EYE CARE

La Tran Canula® est une canule d'irrigation stérile à usage unique utilisée par le médecin dans un environnement contrôlé, pour éliminer les particules pseudo-exfoliatives déposées dans la chambre antérieure de l'œil. Contrairement à une simple canule d'irrigation à jet classique, ce nouvel instrument est caractérisé par deux jets d'eau distincts séparés l'un de l'autre par un angle de 30°. Grâce à sa conception unique et aux lois de la micro-hydrodynamique des fluides, ces deux jets indépendants fusionnent en un seul fuseau liquide, plus puissant, dès lors qu'ils touchent un obstacle.

TRAN CANULA®, TC- 01, SPÉCIFICATIONS

- Référence : TC- 01
- Longueur canule : 19 mm
- Rayon de courbure : 25 mm
- Diamètre extérieur : 0.8 mm
- Design : Dr. V.T. Tran

TRAN CANULA® PACKAGING

- Sous double blister stérile, à usage unique.
- Emballage : 5 pièces
- 205 x 57 x 45 mm

Tran Canula® ist eine sterile Einweg-Spülkanüle, die in kontrollierter Umgebung von Ärzten angewandt wird, um die pseudoexfoliativen Partikel aus der vorderen Augenkammer zu entfernen.
Im Gegensatz zur herkömmlichen Einzelstrahl-Spülkanüle zeichnet sich dieses neue Instrument durch zwei getrennte Wasserstrahlen aus, die zueinander in einem Winkel von 30° stehen. Dank des einzigartigen Designs der Kanüle und aufgrund der Gesetze der Mikrohydrodynamik verschmelzen diese beiden unabhängigen Flüssigkeitsströme zu einem einzigen stärkeren, sobald sie ein Hindernis berühren.

TRAN CANULA®, TC- 01, CHARAKTERISTIKA

- Kennzeichen : TC- 01
- Kanülenlänge : 19 mm
- Krümmungsradius : 25 mm
- Aussendurchmesser : 0.8 mm
- Entwurf : Dr. V.T. Tran

TRAN CANULA® VERPACKUNG

- In einer doppelten sterilen Sichtverpackung ; zum einmaligen Gebrauch.
- Packung : 5 Stück
- 205 x 57 x 45 mm




CR01	CURETTE SMALL	page 37
CR02	CURETTE MEDIUM	page 37
CR03	CURETTE LARGE	page 37
CR05	CURETTE DOUBLE ENDED	page 37
CS01	CHALAZION CLAMP SMALL	page 37
CS02	CHALAZION CLAMP LARGE	page 37
PD01	PUNCTAL DILATOR SHARP	page 42
PD02	PUNCTAL DILATOR BLUNT	page 41
PD03	PUNCTAL DILATOR DOUBLE ENDED	page 42
PD05	BOWMANS PROBE SIZE 00-0 DOUBLE ENDED	page 41
PD06	BOWMANS PROBE SIZE 000-00 DOUBLE ENDED	page 41
PD07	PUNCTAL DILATOR & LACRIMAL PROBE DOUBLE ENDED	page 42
PD08	LACRIMAL PROBE	page 41
SA11	WESTCOTT CONJUCTIVAL SCISSORS	page 31
SA12	MOORFIELDS FORCEPS	page 13
SA13	STALLARD CORNEAL SCISSORS	page 31
SA14	WESCOTT SCISSORS DOLPHIN NOSE	page 32
SA17	MOORFIELDS FORCEPS FINE	page 13
SC03	BANGERTER ADULT SPECULUM	page 25
SC05	KRATZ SOLID BLADED WIRE SPECULUM	page 25
SC08	SOLID BLADED SCREW ADJUSTABLE SPECULUM	page 26
SC09	KRATZ BARRAQUER CLOSED LOOP	page 28
SC10	KRATZ PAEDIATRIC CLOSED LOOP 10 MM SPECULUM	page 27
SC95	CHOPPER AND KUGLEN HORIZONTAL DOUBLE ENDED	page 22
SC100	GOVAN MANIPULATOR	page 17
SC102	GOVAN MANIPULATOR AND PHACO CHOPPER	page 18
SC103	NEONATE PAEDIATRIC SPECULUM	page 27
SC105	TROUTMAN TYING FORCEPS CURVED	page 15
SC106	LE BUISSON MANIPULATOR	page 19
SC107	KRATZ OPEN LOOP WIRE SPECULUM (BLUE)	page 24
SC108	VANNAS SCISSORS CURVED	page 31
SC109	OSHER SCISSORS	page 30
SC11	KRATZ BARRAQUER WIRE SPECULUM OPEN LOOP	page 24
SC110	CASTROVIEJO SCISSORS STRAIGHT & ROUND	page 30
SC114	NEEDLE HOLDER CURVED	page 39
SC118	CASTROVIEJO NEEDLE HOLDER LOCKING	page 39
SC119	ADSONS FORCEPS	page 12
SC12	TEMPORAL SPECULUM	page 25
SC120	SUTURE REMOVAL FORCEPS CURVED	page 15
SC121	LIEBERMAN ADJUSTABLE SPECULUM, STAINLESS STEEL	page 25
SC124	HEAVY GAUGE WIRE SPECULUM OPEN LOOP	page 28
SC126	CLARKE SPECULUM	page 26
SC128	IRIS FORCEPS POINTED	page 11
SC129	BONN FORCEPS	page 10
SC13	KRATZ CLOSED LOOP SPECULUM	page 23
SC130	CORNEAL MARKER CAPSULORHEXIS GUIDE	page 49
SC132	KRATZ BARRAQUER CLOSED LOOP SPECULUM	page 24
SC133M	MICS CAPSULORHEXIS FORCEPS STRAIGHT	page 7
SC134M	MICS CAPSULORHEXIS FORCEPS ROUND BODIED CURVED	page 7
SC14	PAEDIATRIC 6 MM SPECULUM	page 27
SC142	BARRAQUER NEEDLE HOLDER CURVED	page 39
SC143	KOCH PHACO SPATULA	page 19
SC144	SINSKEY HOOK AND GOVAN MANIPULATOR DOUBLE ENDED	page 21
SC146	LESTER HOOK	page 20
SC147	PHACO CHOPPER AND MUSHROOM MANIPULATOR DOUBLE ENDED	page 20
SC148	NAGAHARA CLEAVER	page 22
SC15	NEONATE 4 MM SPECULUM	page 27
SC150	WIRE SPECULUM OPEN LOOP	page 24
SC19	STRAIGHT TYING FORCEPS	page 15
SC20	COLIBRI TYING FORCEPS	page 10
SC21	STRAIGHT TOOTHED FORCEPS FINE	page 12
SC22	COLIBRI TOOTHED FORCEPS	page 10
SC23	SCLERAL DEPRESSOR BULBOUS END	page 52
SC24	SCLERAL DEPRESSOR HAMMER END	page 53
SC25	SCLERAL DEPRESSOR DOUBLE ENDED	page 52
SC29M	MICS CAPSULORHEXIS FORCEPS CURVED	page 7
SC33M	MICS CAPSULORHEXIS FORCEPS CROSS ACTION	page 6
SC34M	CAPSULORHEXIS ROUND BODIED CURVED	page 7
SC35	SWAN NECK TYPE PLAIN FORCEPS	page 9
SC38	BONN FORCEPS	page 10
SC39	CHOPPER AND DIALLER	page 17
SC41	Y SHAPED NUCLEUS ROTATOR	page 21
SC42	PHACO CHOPPER CLAW	page 20
SC43	PHACO CHOPPER	page 20
SC44	KOCH CHOPPER	page 18
SC45	GREENS CHOPPER	page 17
SC46	LENS DIALER (SINSKEY HOOK)	page 19
SC47	DRYSDALE NUCLEUS SPATULA	page 21
SC48	MUSHROOM NUCLEUS MANIPULATOR	page 21
SC49	STRAIGHT NOTCHED FORCEPS (HOSKINS)	page 11
SC50	CURVED NOTCHED FORCEPS	page 14
SC51	LENS FOLDING FORCEPS	page 13
SC52	LENS IMPLANTATION FORCEPS	page 14
SC54	ST. MARTINS FORCEPS	page 11
SC55	HOSKINS FORCEPS	page 11
SC56	BISHOPS FORCEPS	page 9
SC58	EPILATION - CILIA FORCEPS	page 12
SC59	ADSONS DISSECTION FORCEPS	page 9
SC60	JEWELLERS FORCEPS	page 12
SC61	SUTURE NEEDLE HOLDER CURVED	page 38
SC63	IRIS REPOSITOR	page 18
SC65	MENDEZ GAUGE	page 36
SC71	STRAIGHT TYING FORCEPS	page 15
SC72	MC PHERSON TYING FORCEPS	page 14
SC73	KELMAN MC PHERSON FORCEPS	page 14
SC80	ONG IRIS SCISSORS	page 30
SC81	VANNAS SCISSORS	page 31
SC82	CASTROVIEJO CORNEAL SCISSORS RIGHT	page 30
SC83	CASTROVIEJO CORNEAL SCISSORS LEFT	page 30

JUST ONE USE

SC90	JONES CHOPPER	page 18
SC91	CHAVASSE HOOK	page 51
SC96	IRIS SCISSORS	page 33
SC97	DENIS CLEAVER	page 17
SC99	LINDGREN FORCEPS	page 16
SG01	GENERAL SCISSORS SHARP POINTED	page 32
SG02	MOSQUITO FORCEPS	page 13
SG03	TRABECULECTOMY PUNCH	page 53
SG04	BRAUNSTEIN FIXED CALIPER 1.8 MM THICKNESS	page 35
SG05	CASTROVIEJO ADJUSTABLE CALIPER	page 35
SG06	GENERAL SCISSORS BLUNT END	page 32
SG07	STRABISMUS SCISSORS	page 33
SG10	JAMESON STRABISMUS HOOK 5 MM	page 52
SG11	JAMESON HOOK	page 53
SG15	KUGLEN HOOK	page 19
SG19	SCLERAL MARKER ROUND BODIED DOUBLE ENDED	page 35
SG20	DESMARRES RETRACTOR	page 51
SG22	MOSQUITO FORCEPS CURVED	page 52
SG23	STEVENS SCISSORS CURVED	page 33
SG31	STEVENS TENOTOMY SCISSORS POINTED	page 33
SG33	HALSTEAD MOSQUITO FORCEPS STRAIGHT	page 51
SG35	DRESSING SCISSORS	page 32
SG37	GUTHRIE HOOK	page 51
SR01	LENTICULE EXTRACTION FORCEPS	page 49
SR02	LASIK FEMTO SEPERATOR AND ELEVATOR DOUBLE ENDED	page 52
SR03	SINSKEY AND REVERSE SINSKEY HOOK	page 48
SR04	CORNEAL RING PUSHER	page 48
SR07	CORNEAL RING FORCEPS KERARING	page 48
SR08	CORNEAL RING FORCEPS INTACS	page 48
SR10	BLADED ADJUSTABLE SPECULUM	page 26
SR100	CORNEAL EPITHELIUM SPATULA ROUND	page 44
SR101	S MARKER	page 47
SR102	KOCABA DMEK FORCEPS	page 45
SR103	LASIK FLAP SEPERATOR AND ELEVATOR DOUBLE END	page 47
SR104	LENTICULE SEPERATOR HOOK AND SPATULA DOUBLE END	page 47
SR105	TREPHINE VARIOUS SIZES	page 47
SR108	PATON SPATULA & SPOON DOUBLE ENDED	page 49
SR109	DMEK BERNHEIM HOOK	page 44
SR11	KRATZ SCREW ADJUSTABLE WIRE SPECULUM OPEN LOOP	page 26
SR14	LASIK FLAP-LIFTING FORCEPS	page 43
SR21	LASIK CORNEAL MARKER	page 46
SR31	LASIK FLAP ELEVATOR	page 46
SR34	INTRA LASIK FLAP SEPARATOR	page 45
SR40	CK LASIK MARKER	page 44
SR41	ALCOHOL WELL VARIOUS SIZES	page 46
SR51	EPI PEELER	page 44
SR60	EPI PEELER D SHAPED	page 45
SR61	EPI PEELER RECTANGLE SHAPED	page 45
SR70	REINSTEIN LENTICULE SEPARATOR	page 43
SR71	LASIK FLAP FORCEPS	page 46
SR72	8 LINE CORNEAL MARKER	page 35
TC-01	TRAN CANULA	page 54

Ces produits sont des dispositifs médicaux de classe IIa - CE0197 pour les dispositifs fabriqués par Surgitrac Instruments (mandataire européen Alvena, Malte) et CE0123 pour les dispositifs fabriqués par Fabrinal.



JUST ONE USE

by Surgitrac Europe

2 RUE HÉLÈNE BOUCHER
35235 THORIGNÉ-FOUILLARD
Tel +33(0)230.070.107

www.just-one-use.com

CAT-JOU-2611